




Your Source for Automation Components

# Push-In Wire DIN Rail Mounted Terminal Blocks

## ASIUJ6-2.5

- Drop-in replacements to major manufacturers
- Models are 26 to 2 AWG, 20 to 115A, 600V
- Single level, double level, multi-wire, ground terminal blocks available
- Material of housing: UL94V0 polyamide
- Easy to install push-in jumpers
- Multiple labeling options




Ordering Info			
<b>Order #</b>	ASI421456	ASI421463	ASI421465
<b>Type</b>	ASIUJ6-2.5	ASIUJ6-2.5/1X2	ASIUJ6-2.5/2X2
<b>Description</b>	Two Wire Terminal Block	Three Wire Terminal Block	Four Wire Terminal Block
<b>Pkg Size</b>	50 pcs	50 pcs	50 pcs
Specifications			
<b>Wire Range (AWG)</b>	26-12 str/sol	26-12 str/sol	26-12 str/sol
<b>Voltage Rating (V)</b>	600	600	600
<b>Current Rating (A)</b>	20	20	20
<b>Dimensions (HxWxD)mm</b>	48.5x5.2x35.2	60.4x5.2x29.2	72.2x5.2x29.2
<b>Color</b>	Gray	Gray	Gray
Accessories			
	<b>Order #</b>	<b>Order #</b>	<b>Order #</b>
<b>End Cover</b>	ASI422106	ASI422109	ASI422110
<b>Push-In Jumpers</b>			
<b>2-Pos</b>	ASI423006	AS423006	ASI423006
<b>3-pos</b>	ASI423007	ASI423007	ASI423007
<b>4-pos</b>	ASI423008	ASI423008	ASI423008
<b>5-pos</b>	ASI423009	ASI423009	ASI423009
<b>10-pos</b>	ASI423010	ASI423010	ASI423010
<b>Manual Marker Strip</b>	ASIZB510B	ASIZB510B	ASIZB510B
<b>Black Marking Pen</b>	CT004	CT004	CT004
<b>Red Marking Pen</b>	CT006	CT006	CT006
<b>Red and Black Marking Set</b>	CT008	CT008	CT008
<b>End Stop</b>	ASIUD1B	ASIUD1B	ASIUD1B
<b>Ground Terminal Block</b>	ASI421462	ASI421464	ASI421466
<b>DIN Rail 1-Meter</b>			
7.5 x 35mm slotted	PR005-1M	PR005-1M	PR005-1M
7.5 x 35mm non-slotted	PR003-1M	PR003-1M	PR003-1M
<b>DIN Rail 2-Meter</b>			
7.5 x 35mm slotted	PR005	PR005	PR005
7.5 x 35mm non-slotted	PR003	PR003	PR003



Your Source for Automation Components

# Push-In Wire DIN Rail Mounted Terminal Blocks ASIUJ6-2.5

- Drop-in replacements to major manufacturers
- Models are 26 to 2 AWG, 20 to 115A, 600V
- Single level, double level, multi-wire, ground terminal blocks available
- Material of housing: UL94V0 polyamide
- Easy to install push-in jumpers
- Multiple labeling options



Ordering Info	
Order #	ASI421467
Type	ASIUJ6-2.5/2-2
Description	Two Level Terminal Block
Pkg Size	50 pcs
Specifications	
Wire Range (AWG)	28-12 sol/str
Voltage Rating (V)	300
Current Rating (A)	20
Dimensions (HxWxD)mm	67.6x5.2x45.8
Color	Gray
Accessories	
	Order #
End Cover	ASI422111
Push-In Jumpers	
2-Pos	ASI423006
3-pos	ASI423007
4-pos	ASI423008
5-pos	ASI423009
10-pos	ASI423010
Manual Marker Strip	ASIZB510B
Black Marking Pen	CT004
Red Marking Pen	CT006
Red and Black Marking Set	CT008
End Stop	ASIUD1B
Ground Terminal Block	ASI421468
DIN Rail 1-Meter	
7.5 x 35mm slotted	PR005-1M
7.5 x 35mm non-slotted	PR003-1M
DIN Rail 2-Meter	
7.5 x 35mm slotted	PR005
7.5 x 35mm non-slotted	PR003




Your Source for Automation Components

# Push-In Wire DIN Rail Mounted Terminal Blocks

## ASIUJ6-2.5

- Drop-in replacements to major manufacturers
- Models are 26 to 2 AWG, 20 to 115A, 600V
- Single level, double level, multi-wire, ground terminal blocks available
- Material of housing: UL94V0 polyamide
- Easy to install push-in jumpers
- Multiple labeling options



These Terminal Blocks are not UL Recognized.

Ordering Info			
<b>Order #</b>	ASI421728	ASI421787	ASI421755
<b>Type</b>	ASIUJ6-2.5/2X1/2-2	ASIUJ6-2.5/2-2D	ASIUJ6-2.5/3-3
<b>Description</b>	Two Level Terminal Block Three Wires Per Level	Two Level Diode Terminal Block	Three Level Terminal Block
<b>Pkg Size</b>	50 pcs	50 pcs	50 pcs
Specifications			
<b>Wire Range (AWG)</b>	24-14str/24-12sol	24-12 sol / 24-14 str	24-12 sol / 24-14 str
<b>Voltage Rating (V)</b>	800	800	800
<b>Current Rating (A)</b>	22	24	24
<b>Dimensions (HxWxD)mm</b>	114.2x5.2x63.8	67.6x5.2x45.8	102.5x5.2x56.5
<b>Color</b>	Beige	Gray	Gray
Accessories			
	<b>Order #</b>	<b>Order #</b>	<b>Order #</b>
<b>End Cover</b>	ASI422152	ASI422111	ASI422161
<b>Push-In Jumpers</b>			
<b>2-Pos</b>	ASI423006	AS423006	ASI423006
<b>3-pos</b>	ASI423007	ASI423007	ASI423007
<b>4-pos</b>	ASI423008	ASI423008	ASI423008
<b>5-pos</b>	ASI423009	ASI423009	ASI423009
<b>10-pos</b>	ASI423010	ASI423010	ASI423010
<b>Manual Marker Strip</b>	ASIZB510B	ASIZB510B	ASIZB510B
<b>Black Marking Pen</b>	CT004	CT004	CT004
<b>Red Marking Pen</b>	CT006	CT006	CT006
<b>Red and Black Marking Set</b>	CT008	CT008	CT008
<b>End Stop</b>	ASIUD1B	ASIUD1B	ASIUD1B
<b>Ground Terminal Block</b>	-	-	ASI421763
<b>DIN Rail 1-Meter</b>			
7.5 x 35mm slotted	PR005-1M	PR005-1M	PR005-1M
7.5 x 35mm non-slotted	PR003-1M	PR003-1M	PR003-1M
<b>DIN Rail 2-Meter</b>			
7.5 x 35mm slotted	PR005	PR005	PR005
7.5 x 35mm non-slotted	PR003	PR003	PR003

[www.SourceASI.com](http://www.SourceASI.com)

Automation Systems Interconnect ■ P.O. Box 1340, Mechanicsburg, PA 17055 ■ Phone: (717) 249-5581 or (877) 650-5160



Your Source for Automation Components

# Push-In Wire DIN Rail Mounted Terminal Blocks

## ASIUJ6-2.5

- Drop-in replacements to major manufacturers
- Models are 26 to 2 AWG, 20 to 115A, 600V
- Single level, double level, multi-wire, ground terminal blocks available
- Material of housing: UL94V0 polyamide
- Easy to install push-in jumpers
- Multiple labeling options



These Terminal Blocks are not UL Recognized.

Ordering Info			
<b>Order #</b>	ASI421490	AS421491	ASI421492
<b>Type</b>	ASIUJ6-2.5SK	ASIUJ6-2.5/1X2SK	ASIUJ6-2.5/2X2SK
<b>Description</b>	Two Wire Knife Disconnect Terminal Block	Three Wire Knife Disconnect Terminal Block	Four Wire Knife Disconnect Terminal Block
<b>Pkg Size</b>	50 pcs	50 pcs	50 pcs
Specifications			
<b>Wire Range (AWG)</b>	24-14str/24-12sol	24-14str/24-12sol	24-14str/24-12sol
<b>Voltage Rating (V)</b>	500	500	500
<b>Current Rating (A)</b>	20	20	20
<b>Dimensions (HxWxD)mm</b>	54.9x5.2x35.2	71.2x5.2x35.2	84x5.2x35.2
<b>Color</b>	Gray	Gray	Gray
Accessories			
	<b>Order #</b>	<b>Order #</b>	<b>Order #</b>
<b>End Cover</b>	ASI422114	ASI422125	ASI422126
<b>Push-In Jumpers</b>			
<b>2-Pos</b>	ASI423006	AS423006	ASI423006
<b>3-pos</b>	ASI423007	ASI423007	ASI423007
<b>4-pos</b>	ASI423008	ASI423008	ASI423008
<b>5-pos</b>	ASI423009	ASI423009	ASI423009
<b>10-pos</b>	ASI423010	ASI423010	ASI423010
<b>Manual Marker Strip</b>	ASIZB510B	ASIZB510B	ASIZB510B
<b>Black Marking Pen</b>	CT004	CT004	CT004
<b>Red Marking Pen</b>	CT006	CT006	CT006
<b>Red and Black Marking Set</b>	CT008	CT008	CT008
<b>End Stop</b>	ASIUD1B	ASIUD1B	ASIUD1B
<b>Ground Terminal Block</b>	-	-	-
<b>DIN Rail 1-Meter</b>			
7.5 x 35mm slotted	PR005-1M	PR005-1M	PR005-1M
7.5 x 35mm non-slotted	PR003-1M	PR003-1M	PR003-1M
<b>DIN Rail 2-Meter</b>			
7.5 x 35mm slotted	PR005	PR005	PR005
7.5 x 35mm non-slotted	PR003	PR003	PR003

[www.SourceASI.com](http://www.SourceASI.com)

Automation Systems Interconnect ■ P.O. Box 1340, Mechanicsburg, PA 17055 ■ Phone: (717) 249-5581 or (877) 650-5160



Your Source for Automation Components

# Push-In Wire DIN Rail Mounted Terminal Blocks

## ASIUJ6-2.5

- Drop-in replacements to major manufacturers
- Models are 26 to 2 AWG, 20 to 115A, 600V
- Single level, double level, multi-wire, ground terminal blocks available
- Material of housing: UL94V0 polyamide
- Easy to install push-in jumpers



These Terminal Blocks are not UL Recognized.

Ordering Info			
<b>Order #</b>	ASI421764	AS421765	ASI421754
<b>Type</b>	ASIUJ6-2.5JD/L/L	ASIUJ6-2.5JD/L/N	ASIUJ6-2.5JD/3L
<b>Description</b>	3 Level L/L with Ground Terminal Block	3 Level L/N with Ground Terminal Block	4 Level with Ground Terminal Block
<b>Pkg Size</b>	50 pcs	50 pcs	50 pcs
Specifications			
<b>Wire Range (AWG)</b>	24-14str/24-12sol	24-14str/24-12sol	24-14str/12sol
<b>Voltage Rating (V)</b>	800	800	800
<b>Current Rating (A)</b>	24	24	24
<b>Dimensions (HxWxD)mm</b>	99.5x5.2x56.5	99.5x5.2x56.5	99.5x5.2x61.1
<b>Color</b>	Gray	Gray	Gray
Accessories			
	<b>Order #</b>	<b>Order #</b>	<b>Order #</b>
<b>End Cover</b>	ASI422161	ASI422161	ASI422159
<b>Push-In Jumpers</b>			
<b>2-Pos</b>	ASI423006	AS423006	ASI423006
<b>3-pos</b>	ASI423007	ASI423007	ASI423007
<b>4-pos</b>	ASI423008	ASI423008	ASI423008
<b>5-pos</b>	ASI423009	ASI423009	ASI423009
<b>10-pos</b>	ASI423010	ASI423010	ASI423010
<b>Manual Marker Strip</b>	ASIZB510B	ASIZB510B	ASIZB510B
<b>Black Marking Pen</b>	CT004	CT004	CT004
<b>Red Marking Pen</b>	CT006	CT006	CT006
<b>Red and Black Marking Set</b>	CT008	CT008	CT008
<b>End Stop</b>	ASIUD1B	ASIUD1B	ASIUD1B
<b>Ground Terminal Block</b>	-	-	-
<b>DIN Rail 1-Meter</b>			
7.5 x 35mm slotted	PR005-1M	PR005-1M	PR005-1M
7.5 x 35mm non-slotted	PR003-1M	PR003-1M	PR003-1M
<b>DIN Rail 2-Meter</b>			
7.5 x 35mm slotted	PR005	PR005	PR005
7.5 x 35mm non-slotted	PR003	PR003	PR003

[www.SourceASI.com](http://www.SourceASI.com)

Automation Systems Interconnect ■ P.O. Box 1340, Mechanicsburg, PA 17055 ■ Phone: (717) 249-5581 or (877) 650-5160




Your Source for Automation Components

# Push-In Wire DIN Rail Mounted Terminal Blocks

## ASIUJ6-2.5

- Drop-in replacements to major manufacturers
- Models are 26 to 2 AWG, 20 to 115A, 600V
- Single level, double level, multi-wire, ground terminal blocks available
- Material of housing: UL94V0 polyamide
- Easy to install push-in jumpers
- Multiple labeling options



These Terminal Blocks are not UL Recognized.

Ordering Info		
<b>Order #</b>	ASI421493	ASI421786
<b>Type</b>	ASIUJ6-2.5FD	ASIUJ6-2.5CW/RD
<b>Description</b>	Two Wire Plug Disconnect Terminal Block	Automotive Fuse Terminal Block
<b>Pkg Size</b>	50 pcs	50 pcs
Specifications		
<b>Wire Range (AWG)</b>	24-14str / 24-12sol	24-14str/12sol
<b>Voltage Rating (V)</b>	500	400
<b>Current Rating (A)</b>	20	10
<b>Dimensions (HxWxD)mm</b>	59.4x5.2x35.2	65x5.2x35.2
<b>Color</b>	Gray	Gray
Accessories		
	Order #	
<b>End Cover</b>	ASI422114	ASI422170
<b>Push-In Jumpers</b>		
<b>2-Pos</b>	ASI423006	ASI423006
<b>3-pos</b>	ASI423007	ASI423007
<b>4-pos</b>	ASI423008	ASI423008
<b>5-pos</b>	ASI423009	ASI423009
<b>10-pos</b>	ASI423010	ASI423010
<b>Manual Marker Strip</b>	ASIZB510B	ASIZB510B
<b>Black Marking Pen</b>	CT004	CT004
<b>Red Marking Pen</b>	CT006	CT006
<b>Red and Black Marking Set</b>	CT008	CT008
<b>End Stop</b>	ASIUD1B	ASIUD1B
<b>Ground Terminal Block</b>	-	-
<b>DIN Rail 1-Meter</b>		
7.5 x 35mm slotted	PR005-1M	PR005-1M
7.5 x 35mm non-slotted	PR003-1M	PR003-1M
<b>DIN Rail 2-Meter</b>		
7.5 x 35mm slotted	PR005	PR005
7.5 x 35mm non-slotted	PR003	PR003



# Push-In Wire DIN Rail Mounted Terminal Blocks

## ASIUJ6-2.5

Your Source for Automation Components

- Drop-in replacements to major manufacturers
- Models are 26 to 2 AWG, 20 to 115A, 600V
- Single level, double level, multi-wire, ground terminal blocks available
- Material of housing: UL94V0 polyamide
- Easy to install push-in jumpers



These Terminal Blocks are not UL Recognized.

Ordering Info			
<b>Order #</b>	ASI421772, ASI421781	ASI421736	ASI421770, ASI421782
<b>Type</b>	ASIUJ6-2.5V/2, ASIUJ-2.5V/2(BU)	ASIUJ6-2.5V	ASIUJ6-2.5V/2X1, ASIUJ6-2.5V/2X1(BU)
<b>Description</b>	Two Wire Two Plug Terminal Block	Two Wire One Plug Terminal Block	Three Wire One Plug Terminal Block
<b>Pkg Size</b>	50 pcs	50 pcs	50 pcs
Specifications			
<b>Wire Range (AWG)</b>	24-14str/24-12sol	24-14str/24-12sol	24-14str/24-12sol
<b>Voltage Rating (V)</b>	500	800	500
<b>Current Rating (A)</b>	24	24	24
<b>Dimensions (HxWxD)mm</b>	48.5x5.2x35.2	48.5x5.2x35.2	60.4x5.2x35.2
<b>Color</b>	Gray, Blue	Gray	Gray, Blue
Accessories			
	<b>Order #</b>	<b>Order #</b>	<b>Order #</b>
<b>End Cover</b>	ASI422154	ASI422154	ASI422021
<b>Push-In Jumpers</b>			
<b>2-Pos</b>	ASI423006	AS423006	ASI423006
<b>3-pos</b>	ASI423007	ASI423007	ASI423007
<b>4-pos</b>	ASI423008	ASI423008	ASI423008
<b>5-pos</b>	ASI423009	ASI423009	ASI423009
<b>10-pos</b>	ASI423010	ASI423010	ASI423010
<b>Manual Marker Strip</b>	ASIZB510B	ASIZB510B	ASIZB510B
<b>Black Marking Pen</b>	CT004	CT004	CT004
<b>Red Marking Pen</b>	CT006	CT006	CT006
<b>Red and Black Marking Set</b>	CT008	CT008	CT008
<b>End Stop</b>	ASIUD1B	ASIUD1B	ASIUD1B
<b>Ground Terminal Block</b>	-	ASI421786	-
<b>Left End Push-In Block</b>	ASI016029	ASI016029	ASI016029
<b>Middle Push-In Block</b>	ASI016030	ASI016030	ASI016030
<b>Right End Push-In Block</b>	ASI016031	ASI016031	ASI016031
<b>DIN Rail 1-Meter</b>			
7.5 x 35mm slotted	PR005-1M	PR005-1M	PR005-1M
7.5 x 35mm non-slotted	PR003-1M	PR003-1M	PR003-1M
<b>DIN Rail 2-Meter</b>			
7.5 x 35mm slotted	PR005	PR005	PR005
7.5 x 35mm non-slotted	PR003	PR003	PR003

[www.SourceASI.com](http://www.SourceASI.com)

Automation Systems Interconnect ■ P.O. Box 1340, Mechanicsburg, PA 17055 ■ Phone: (717) 249-5581 or (877) 650-5160



# Push-In Wire DIN Rail Mounted Terminal Blocks

## ASIUJ6-2.5

Your Source for Automation Components

- Drop-in replacements to major manufacturers
- Models are 26 to 2 AWG, 20 to 115A, 600V
- Single level, double level, multi-wire, ground terminal blocks available
- Material of housing: UL94V0 polyamide
- Easy to install push-in jumpers



These Terminal Blocks are not UL Recognized.

Ordering Info	
<b>Order #</b>	ASI421775, ASI421783
<b>Type</b>	ASIUJ6-2.5V/2-2, ASIUJ-2.5V/2-2(BU)
<b>Description</b>	Two Level Two Plug Terminal Block
<b>Pkg Size</b>	50 pcs
Specifications	
<b>Wire Range (AWG)</b>	24-14str/24-12sol
<b>Voltage Rating (V)</b>	500
<b>Current Rating (A)</b>	22
<b>Dimensions (HxWxD)mm</b>	71.3x5.2x45.8
<b>Color</b>	Gray, Blue
Accessories	
	<b>Order #</b>
<b>End Cover</b>	ASI422168
<b>Push-In Jumpers</b>	
<b>2-Pos</b>	ASI423006
<b>3-pos</b>	ASI423007
<b>4-pos</b>	ASI423008
<b>5-pos</b>	ASI423009
<b>10-pos</b>	ASI423010
<b>Manual Marker Strip</b>	ASIZB510B
<b>Black Marking Pen</b>	CT004
<b>Red Marking Pen</b>	CT006
<b>Red and Black Marking Set</b>	CT008
<b>End Stop</b>	ASIUD1B
<b>Ground Terminal Block</b>	-
<b>Left End Push-In Block</b>	ASI016029
<b>Middle Push-In Block</b>	ASI016030
<b>Right End Push-In Block</b>	ASI016031
<b>DIN Rail 1-Meter</b>	
7.5 x 35mm slotted	PR005-1M
7.5 x 35mm non-slotted	PR003-1M
<b>DIN Rail 2-Meter</b>	
7.5 x 35mm slotted	PR005
7.5 x 35mm non-slotted	PR003





# Push-In Wire Plugs for ASIJJ6-2.5V Series Terminal Blocks

## ASIJJ6-2.5PV

Your Source for Automation Components

- Drop-in replacements to major manufacturers
- Models are rated 24 to 12 AWG, 24A, 500V
- Material of housing: UL94V0 polyamide
- Multiple labeling options

These Terminal Blocks are not UL Recognized.

Ordering Info	
<b>Order #</b>	Please Refer to Table to the Right
<b>Type</b>	Please Refer to Table to the Right
<b>Description</b>	Push-In Wire Plugs
<b>Pkg Size</b>	50 pcs
Specifications	
<b>Wire Range (AWG)</b>	24-14 str/24-12 sol
<b>Voltage Rating (V)</b>	500
<b>Current Rating (A)</b>	24
<b>Dimensions (HxWxD)mm</b>	Please Refer to Table Below
<b>Color</b>	Gray
Accessories	
	<b>Order #</b>
<b>Manual Marker Strip</b>	ASI014593
<b>Black Marking Pen</b>	CT004
<b>Red Marking Pen</b>	CT006
<b>Red and Black Marking Set</b>	CT008

Order # / Type	Dimensions (HxWxD)mm
ASI016029 / ASIJJ6-2.5PV/L	39.5x5.2x16
ASI016030 / ASIJJ6-2.5PV/M	39.5x5.2x16
ASI016031 / ASIJJ6-2.5PV/R	39.5x5.2x16
ASI016032 / ASIJJ6-2.5PV-1	39.5x5.2x16
ASI016033 / ASIJJ6-2.5PV-2	39.5x10.4x16
ASI016034 / ASIJJ6-2.5PV-3	39.5x15.6x16
ASI016035 / ASIJJ6-2.5PV-4	39.5x20.8x16
ASI016036 / ASIJJ6-2.5PV-5	39.5x26.0x16
ASI016037 / ASIJJ6-2.5PV-6	39.5x31.2x16
ASI016038 / ASIJJ6-2.5PV-7	39.5x36.4x16
ASI016039 / ASIJJ6-2.5PV-8	39.5x41.6x16
ASI016040 / ASIJJ6-2.5PV-9	39.5x46.8x16
ASI016041 / ASIJJ6-2.5PV-10	39.5x52.0x16
ASI016042 / ASIJJ6-2.5PV-11	39.5x57.2x16
ASI016043 / ASIJJ6-2.5PV-12	39.5x62.4x16
ASI016044 / ASIJJ6-2.5PV-13	39.5x67.6x16
ASI016045 / ASIJJ6-2.5PV-14	39.5x72.8x16
ASI016046 / ASIJJ6-2.5PV-15	39.5x78.0x16
ASI016047 / ASIJJ6-2.5PV-16	39.5x83.2x16
ASI016048 / ASIJJ6-2.5PV-17	39.5x88.4x16




Your Source for Automation Components

# Push-In Wire DIN Rail Mounted Terminal Blocks

## ASIUJ6-2.5

- Drop-in replacements to major manufacturers
- Models are 26 to 2 AWG, 20 to 115A, 600V
- Single level, double level, multi-wire, ground terminal blocks available
- Material of housing: UL94V0 polyamide
- Easy to install push-in jumpers
- Multiple labeling options



These Terminal Blocks are not UL Recognized.

Ordering Info		
Order #	ASI421543	ASI421750
Type	ASIUJ6-2.5/2X2-PV	ASIUJ6-2.5/3X3-PV
Description	Two Level Terminal Block with Internal Jumper	Three Level Terminal Block with Internal Jumper
Pkg Size	50 pcs	50 pcs
Specifications		
Wire Range (AWG)	24-14str / 24-12sol	24-14str / 24-12sol
Voltage Rating (V)	800	800
Current Rating (A)	24	24
Dimensions (HxWxD)mm	67.6x5.2x45.8	102.2x5.2x56.6
Color	Gray	Gray
Accessories		
	Order #	
End Cover	ASI422111	ASI422161
Push-In Jumpers		
2-Pos	ASI423006	ASI423006
3-pos	ASI423007	ASI423007
4-pos	ASI423008	ASI423008
5-pos	ASI423009	ASI423009
10-pos	ASI423010	ASI423010
Manual Marker Strip	ASIZB510B	ASIZB510B
Black Marking Pen	CT004	CT004
Red Marking Pen	CT006	CT006
Red and Black Marking Set	CT008	CT008
End Stop	ASIUD1B	ASIUD1B
Ground Terminal Block	-	-
DIN Rail 1-Meter		
7.5 x 35mm slotted	PR005-1M	PR005-1M
7.5 x 35mm non-slotted	PR003-1M	PR003-1M
DIN Rail 2-Meter		
7.5 x 35mm slotted	PR005	PR005
7.5 x 35mm non-slotted	PR003	PR003




Your Source for Automation Components

# Push-In Wire DIN Rail Mounted Terminal Blocks

## ASIUJ6-2.5

- Drop-in replacements to major manufacturers
- Models are 26 to 2 AWG, 20 to 115A, 600V
- Single level, double level, multi-wire, ground terminal blocks available
- Material of housing: UL94V0 polyamide
- Easy to install push-in jumpers
- Multiple labeling options



These Terminal Blocks are not UL Recognized.

Ordering Info	
Order #	ASI421776
Type	ASIUJ6V-2.5
Description	Two Wire Horizontal Entry Terminal Block
Pkg Size	50 pcs
Specifications	
Wire Range (AWG)	24-12str / 24-10sol
Voltage Rating (V)	1000
Current Rating (A)	24
Dimensions (HxWxD)mm	50.8x5.2x35.2
Color	Gray
Accessories	
	Order #
End Cover	-
Push-In Jumpers	
2-Pos	ASI423006
3-pos	ASI423007
4-pos	ASI423008
5-pos	ASI423009
10-pos	ASI423010
Manual Marker Strip	ASIZB510B
Black Marking Pen	CT004
Red Marking Pen	CT006
Red and Black Marking Set	CT008
End Stop	ASIUD1B
Ground Terminal Block	ASI421519
DIN Rail 1-Meter	
7.5 x 35mm slotted	PR005-1M
7.5 x 35mm non-slotted	PR003-1M
DIN Rail 2-Meter	
7.5 x 35mm slotted	PR005
7.5 x 35mm non-slotted	PR003